

09/682,225

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,786,364 B2
DATED : September 7, 2004
INVENTOR(S) : McBride

Page 1 of 4

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Title page illustrating a drawing figure should be deleted, and substitute therefor title page illustrating a figure as shown on the attached sheet.

Delete drawing sheets 1&2 and substitute therefore drawing sheets 1&2. (Attached)

Signed and Sealed this

First Day of February, 2005



JON W. DUDAS
Director of the United States Patent and Trademark Office

(10) Patent No.: US 6,786,364 B2
(45) Date of Patent: Sep. 7, 2004

(54) TRANSPORTABLE STORAGE WITH AN AUTONOMOUS DISPENSING SYSTEM

(76) Inventor: Dale McBride, P.O. Box 1374,
Morgantown, WV (US) 26507

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(21) Appl. No.: 09/682,225

(22) Filed: Aug. 8, 2001

(6.5) **Prior Publication Data**

US 2013/0020888 A1 Feb. 13, 2013

(51) Int. Cl.⁷ B65D 35/56; B67D 5/42;
G01F 11/00

(52) U.S. Cl. 222/389; 222,386.5; 222/96;
222,105

(58) **Field of Search** 222:95, 96, 386.5,
222:389, 105

(50) **References Cited**

U.S. PATENT DOCUMENTS

1,743,056	A	1/1930	Whitaker
2,209,570	A	7/1940	Kraft
2,451,911	A	10/1948	Braden
2,612,924	A	10/1952	Cunningham
2,615,487	A	10/1952	Cunningham
2,724,418	A	11/1955	Krupp
2,744,043	A	5/1956	Ramberg
2,848,133	A	8/1958	Ramberg
2,851,075	A	9/1958	Palfey
2,854,048	A	9/1958	Cunningham
2,865,419	A	12/1958	Cunningham
2,969,102	A	1/1961	Cunningham
2,991,815	A	7/1961	Pfeiffer
3,009,566	A	11/1961	Oakley
3,123,253	A	3/1964	Babbey et al.
3,178,050	A	4/1965	Doeringhaus
3,282,361	A	11/1966	Mackie
3,334,676	A	8/1967	Girard
3,339,803	A	9/1967	Wayne et al.
3,400,741	A	9/1968	Robinson et al.
3,464,813	A	10/1968	Waxman
3,468,731	A	9/1969	Obedo

3,478,952	A	11/1969	Perlman	
3,504,827	A	4-1970	Fairson	
3,550,708	A	2-1971	Cook	
3,592,360	A	7/1971	Aleck	
3,722,751	A	3/1973	Bisciglia	
3,921,674	A	11/1975	Logan et al.	
3,982,573	A	9/1976	Jones	
4,010,783	A	3/1977	Ralston	
4,213,545	A	7/1980	Thompson et al.	
4,216,881	A	8-1980	Rosman	
4,468,812	A	8-1984	Grosvenor	
4,522,235	A	6-1985	Kluss et al.	
4,567,918	A	2-1986	Cuniet	
4,597,425	A	7-1986	Fally	
4,690,306	A	9-1987	Staheli	
4,714,178	A	12-1987	Bohl et al.	
4,732,299	A	3-1988	Hoyt	
4,817,830	A *	4/1989	Yavorsky	222/389.5
4,826,045	A	5/1989	Price et al.	
5,115,947	A	5/1992	McDonnell	
5,230,566	A	7/1993	Jackson et al.	
5,344,045	A *	9/1994	Richter et al.	222/389.5
5,398,851	A *	3-1995	Sancolt et al.	222/389.5
5,435,468	A	7-1995	Clark, H.	222/389
5,499,743	A	3-1996	Blumenkron	
5,647,510	A	7-1997	Keller	
6,129,236	A *	10/2000	Osokin et al.	222/389.5

* cited by examiner

Primary Examiner—Kevin Shaver

Assistant Examiner—Stephanie L. Willat

(74) Attorney, Agent, or Firm--Jackson Kelly PLLC;
Monika J. Hussell

(57) ABSTRACT

The system of the present invention has a flexible bladder designed to provide for the transfer of liquids from a storage/transport unit to vehicles without the necessity of pumps and/or motors. The system includes a flexible, collapsible bladder that uses compressed gas or air, or a pressurized liquid, to pressurize the unit. The bladder is constructed with a flexible internal diaphragm which extends from a portion of the interior of the bladder, and separates the ends of the bladder. The system further comprises removable means to inject air, gas or fluid into the first end of the bladder and removable means to inject and expel the fluid stored in the second end of the bladder.

11 Claims, 4 Drawing Sheets




Figure 1

